K. SHRINATH HEBBAR Proprietor



MILESTONE25
5th Floor, Shop No.514,
Door No. 15-5-223/140,
Collectors Gate Junction,
Balmatta, Mangalore – 575002.
E-Mail: info@landtrades.in

09.02.2022

To,

The Additional Principal Chief Conservator of Forests (C) Ministry of Environment Forests and Climate change 4th floor, E&F Wing, KendriyaSadan Koramangala, Bengaluru – 560034.

SUB: Submission of Half yearly Compliance report to Environmental Clearance conditions.

Dear Sir,

This has reference to the Environmental Clearance received for our Residential with neighborhood shops project "ALTURA". Which consists 114 nos of Residential units & neighborhood shops at Sy. Nos. 742/15BP, 742/14BP, 742/16P1, 742/16P2, 741/2, 741/3, 741/4B1P, 126/6P1, 126/6P2,126/6P3, 126/5P1,126/5P2126/5P3,126/5P4,126/5P5 of Kadri village, Mangalore Taluk, Dakshina Kannada District

We are herewith enclosing the Compliance report to Environmental Clearance conditions for the period of April 2021 to September 2021.

We kindly request you to acknowledge the same.

With regards A

K. Shrinath Hebbar & others

SPECIFIC CONDITIONS

I. Construction Phase

	i. Construction Phase			
1		,		
I	Statutory Compliance:			
i)	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Complied, All necessary licenses are obtained.		
ii)	The approval of the Competent Authority shall be obtained for structural safety of the constructions due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	Complied		
iii)	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980 in case of diversion of forest land for non-forest purpose involved in the project.	Not Applicable		
iv)	The proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not Applicable		
v)	The project proponent shall obtain Consent to establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ committee.	Complied. CFE obtained Consent no. CTE-326557 dated 02/092021		
vi)	The project proponent shall obtain the necessary permission for drawal of ground water/ surface water required for the project from the competent authority.	Not Applicable as No bore well is used.		
vii)	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Complied		
viii)	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil aviation Department shall be obtained, as applicable, by project proponent from the respective competent authorities.	Complied. Fire NOC obtained.		
ix)	The provisions of the Solid Waste management Rules 2016 e- Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016 shall be followed.	Agreed		
x)	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	Agreed		
11	Air quality monitoring and preservation			
i)	Notification GSR 94(E) dated 25.01.2018 of MOEF & CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Sprinkling will be done to avoid dust during construction activity.		
ii)	A management plan shall be drawn up and implemented to contain the current exceedance if any in ambient air quality at the site.	Agreed. As per the Analysis Ambient air quality parameters are within the limit		
iii)	The project proponent shall install system to carryout Ambient air quality monitoring for common/ criterion parameters relevant to the main pollutants released (e.g PM ₁₀ and PM ₂₅) covering upwind and downwind directions during the construction period.	Being monitored once in six months.		

iv)	Diesel power generating sets proposed as source backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	Complied. DG is provided with acoustic enclosure. Photos are enclosed.
v)	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at last 3 meter height). Plastic/ tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	Complied, Site is Barricaded on all sides. GI sheets are provided on all sides. We will cover tarpaulin sheets for vehicles.
vi)	Sand, muram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Agreed. We will ensure during construction.
vii)	Wet jet shall be provided for grinding and stone cutting.	Agreed. We will ensure during construction.
viii)	Unsaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Agreed. Everyday water sprinkling is carried out to avoid dust
ix)	All construction and demolition debris shall be stored at the site(and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition waste Rules 2016.	Agreed
x)	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to standards prescribed under Environmental (Protection) rules for air and noise emission standards.	Complied.
xi)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Complied.
III	Water quality monitoring and preservation	
i)	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage system (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	
ii)	Building shall be designed to follow the natural topography as much as possible. Minimum cutting and fitting should be done.	Complied
iii)	Total fresh water use shall not exceed the proposed requirement as provided in project details.	
iv)	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF & CC along with six monthly monitoring reports.	4

	A soulificate shall be obtained from least had a simulation water	Complied
v)	A certificate shall be obtained from local body supplying water,	Complied
	specifying the total annual water availability with local authority, the quantity of water already committed, the quantity of water allotted	*
	to the project under consideration and the balance available, this	
	should be specified separately for ground water and surface water	
	sources, ensuring that there is no impact on the other users.	
vi)	At least 20% of the open spaces as required by the local building	Agreed
	bye-laws shall be pervious. Use of grass pavers, paver blocks with	
	at least 50% opening, landscape etc. would be considered as	
	pervious surface.	
vii)	Installation of dual pipe plumbing for supplying fresh water for	Agreed
	drinking, cooking and bathing etc and other for supply of recycled	"
	water for flushing, landscape irrigation, car washing, thermal	
	cooling, conditioning etc. shall be done.	Armand
viii)	Use of water saving devices/ fixtures (viz low flow flushing systems	Agreed
	use of low flow faucets tap aerators etc) for water conservation	
	shall be incorporated in the project area.	Agrand congrets line for
ix)	Separation of grey and black water should be done by the use of	Agreed separate line for
	dual plumbing system. In case of single stack system separate	flushing will be provided
	recirculation lines for flushing by giving dual plumbing system be	
24)	done.	Agreed
x)	The project proponent shall identify a suitable source of treated	Agreed
	water for construction and submit an MOU/ Agreement with such suppliers. If so the supplier identified shall be responsible for	
	treatment of water with appropriate technology to the standards	
	required for construction purpose.	
vi)	The local bye- law provisions on rain water harvesting should be	Agreed
xi)	followed. If local bye-law provision is not available, adequate	Agreed
	provision for storage and recharge should be followed as per the	*
	Ministry of Urban Development Model Building Byelaws,2016	
xii)	A rain water harvesting plan needs to be designed where the	Agreed
AII)	recharge bores of minimum one recharge bore per 5,000 square	, ig. cca
	meters of built up area and storage capacity of minimum one day	
	of total fresh water requirement shall be provided. In areas where	
	ground water recharge is not feasible, the rain water should be	
	harvested and stored for reuse. The ground water shall not be	
	withdrawn approval from the Competent Authority.	
xiii)	All recharge should be limited to shallow aquifier.	Agreed
xiv)	No ground water shall be used during construction phase of the	Agreed
XIV)	project.	
xv)	Any ground water dewatering should be properly managed and	Agreed
,	shall conform to the approvals and the guidelines of the CGWA in	
	the matter. Formal approval shall be taken from the CGWA for any	
	ground water abstraction or dewatering.	
xvi)	The quantity of fresh water usage, water recycling and rainwater	Agreed
,	harvesting shall be measured and recorded to monitor the water	
	balance. The record shall be submitted to the regional Office,	
	MoEF& CC along with six monthly Monitoring reports.	
xvii)	Sewage shall be treated in the STP based on MBBR/SBR	Agreed. STP of SBR system
,	Technology with tertiary treatment i.e Ultra Filtration. The treated	with UF is proposed
	effluent from STP shall be recycled/ re-used for flushing,	
	landscaping and HVAC cooling. No treated water shall be	
	discharged to municipal drain.	

xviii)	No sewage or untreated effluent water would be discharged through storm water drains.	Agreed
xix)	The existing water body, canals and rajakaluve and other drainage and water bound structures shall be retained unaltered with due buffer zone as applicable and maintained under tree cover.	Agreed
xx)	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the sewage treatment plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape flushing, cooling tower, and other end uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change natural treatment systems shall be promoted.	Agreed
xxi)	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Agreed
xxii)	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems,2013	Agreed
IV	Noise monitoring and prevention	
i)	Ambient noise levels shall conform to residential area both during day and night as per Noise Pollution (Control and Regulation) Rules,2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB	Agreed
ii)	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six- monthly compliance report.	Complied. Analysis report enclosed
iii)	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Complied. DG is provided with acoustic enclosure. Photos are enclosed.
iv)	The project proponent shall ensure the time specification prescribed by the Honourable High Court of Karnataka in WP.No.1958/2011 (LB- RES- PIL) on 04.12.2012 for different activities involved in construction work	Agreed
V	Energy conservation measures	
i)	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Building in the States which have notified their own ECBC, shall comply with the State ECBC.	Agreed
ii)	Outdoor and common area lighting shall be LED.	Agreed
iii)	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building, envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof uvalues shall be as per ECBC specifications.	Agreed

iv)	Energy conservation measures like installation of LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	Agreed
v)	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye- laws requirement, whichever is higher.	Agreed, Solar panels are planned.
vi)	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water hearting shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Agreed
VI	Waste management	
i)	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W generated from project shall be obtained.	Organic waste converter will be installed inhouse to convert the waste to manure.
ii)	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Agreed
iii)	Separate wet dry bins must be provided and at the ground level for facilitating segregation of waste. Soild waste shall be segregated into wet garbage and inert materials.	Wet and dry waste will be collected separately from individual flats. Wet waste will be composted through OWC. Dry waste will be given to MCC.
iv)	Organic waste compost/ vermiculture pit/ organic waste converter within the premises with a minimum capacity of 0.3kg/person/day must be installed.	Agreed
v)	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Agreed
vi)	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Agreed
vii)	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include fly ash bricks, hollow bricks, AACs, fly ash lime Gypsum blocks, compressed earth blocks, and other environment friendly materials.	Agreed
viii)	Fly ash should be used as construction material as per the provision of fly ash notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in construction.	
ix)	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016	Complied

v)	Used CFLs/TFLs/LED should be properly collected and disposed	Agreed
x)	off /sent for recycling as per the prevailing guidelines/rules of the	Agreed
	regulatory authority to avoid mercury contamination.	
VII	Green Cover	
i)	No tree cutting/ transplantation should be carried out unless exigencies demand. Where absolutely necessary, tree transplantation shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species(planted)	Complied. No trees are cut at site
ii)	A minimum of 1 tree for every 80 Sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/ or invasive species should not be used for landscaping.	Agreed
iii)	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10(i.e planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted.)	Not applicable as we have not cut any trees
iv)	Topsoil should be stripped to a depth of 20cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Complied. Top soil is preserved for usage in landscape
VIII	Transport	
i)	A comprehensive mobility plan, as per MoUD best practices (LIDDEL), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.	Complied
а	Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.	Complied
b	Traffic calming measures.	Complied
C	Proper design of entry and exit points.	Complied
d	Parking norms as per local regulation.	Complied
ii)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.	Complied. Vehicles are checked for their emission certificates.
iii)	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of roads within a 5 km radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 5km radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D/ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	

		NACH L. O. I'. I Makisla	
iv)	Provide at the main entrances bell gates, which are located at least	Will be Complied. Vehicles	
	12' inside the boundary of the project to enable smooth flow of	will be taken inside for	
137	traffic on the main road leading to the entrance.	unloading materials	
IX	Human health issues	O	
i)	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Complied. All workers are provided adequate PPE	
ii)	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. Sufficient number of toilets/bathrooms shall be provided with required mobile toilets, mobile STP for construction workforce.	Agreed	
iii)	For indoor air quality the ventilation provisions as per National Building Code of India.	Agreed	
iv)	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Agreed	
v)	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. the housing may be in the form of temporary structures to be removed after the completion of the project.	Agreed. Facilities like toilets, drinking water Medical health care will be provided. Sewage will be disposed into UGD authorized by MCC.	
vi)	Occupational health surveillance of the workers shall be done on a regular basis.	Complied, Records maintained at First Aid center	
vii)	A first Aid Room shall be provided in the project both during construction and operations of the project.	Complied. Photo enclosed	
X	Corporate Environment Responsibility		
X i)	The project proponent shall comply with provision contained in OM vide F.No. 22-65/2017-IA III dated 20 th October 2020, of the Ministry of Environment Forest and Climate Change as applicable regarding Corporate Environment Responsibility and shall execute the action plan with a total cost of minimum of Rs.165 lakhs for rejuvenation of Vranga lake, Hebri, Udupi and construction of school building, sanitation units & infrastructure development programme, organizing skill development programme on organic farming and eco-tourism in Kabbinale village, Karkala Taluk, Udupi as committed during the SEAC meeting.	Agreed	
ii)	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The Environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/deviation/ violation of the environmental/ forest/ wildlife norms/ conditions and / or stakeholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF& CC as a part of six-monthly report.	- 27	
iii)	A separate Environmental Cell both at the project and company lead quarter level, with qualified personnel shall be set up under the control of senor Executive, who will directly to the head of the organization. The project proponent enter into an agreement with the prospective buyers/ tenants to ensure that they maintain the	officer has been deployed to take care of Safety as well as Environmental Issues.	



	T	
	cell and take care of all environment concerns during the operation phase of the project. In addition, sufficient fees should be levied so as to raise a corpus fund to maintain the Environment Cell.	
iv)	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry of Environment, Forest and Climate Change/ Regional Office along with the Six Monthly Compliance Report.	Agreed
XI)	Miscellaneous	
i)	The project proponent shall prominently advertise it at least in two local Newspapers of the District or state, of which one shall be in the vernacular language within seven days indicating that the project has been accorded Environment Clearance and the details of MoEFCC/SEIAA website where it is displayed.	Complied. Copies enclosed.
ii)	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30days from the date of receipt.	Complied
iii)	The Project Proponent shall obtain the construction material such as stones and aggregates etc. only from the approved quarries and other construction material shall also be procured from the authorized agencies/ traders.	Agreed
iv)	The project proponent shall not use Kharab land if any for any purpose and keep available to the general public duly displaying a board as public property. No structure of any kind be put up in the Kharab land and shall be afforested and maintained as green belt only.	Complied
v)	The Project proponent shall build in infrastructure required for use of Piped natural Gas (PNG) such as pipelines and space for installation of PNG distribution equipment for both domestic/commercial purpose and DG set and shall ensure that PNG is supplied for both commercial and for DG sets instead of other type of fuels.	Agreed
vi)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Agreed
vii)	The project proponent shall submit six- monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Agreed
viii)	The Half Yearly Compliance Reports(HYCRs) with its contents of a covering letter, compliance reports, and environmental monitoring data has to be in PDF format merged into a single document. The email should clearly mention the name of project, EC No & date, period of submission and to be sent to the Regional Office of MOEF & CC by email only at email ID rosz.bng-mefcc@gov.in Hard copy of HYCRs shall not be acceptable.	



ix)	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Agreed
x)	The project proponent shall inform the Regional Office as well as the Ministry of Environment, Forest and Climate Change, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Agreed
xi)	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Agreed
xii)	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.	Agreed
xiii)	No further expansion or modifications in the plan shall be carried out without prior Environmental Clearance from the competent authority.	Agreed
xiv)	Concealing factual data or submission of false/ fabricated data may result in revocation of this environmental clearance and attract action under the provision of Environment (Protection) Act,1986.	Agreed
xv)	The State Level Environment Impact Assessment Authority, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed
xvi)	The SEIAA, Karnataka reserves the right to stipulate additional condition if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed
xvii)	The Regional Office of MOEF&CC shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data / information/ monitoring reports.	Agreed
xviii)	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution)Act, 1974, the Air (prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, hazardous and Other Wastes (management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of law relating to the subject matter.	Noted
xix)	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30days as prescribed under Section 16 of the National Green Tribunal Act,2010	Agreed

Project Details

Name of the	"ALTURA" Proposed Residential with Neighborhood
Project	shops
Current Status of	5% Construction completed and Apartment is in
Project	Operation.



Contact person
details with respect
to the submitted
report.

Mr. Sohan Shetty, Project Engineer.


Site



Construction phase











Site area













Name of the customer Address			Altura Kadri village, Mangalore	
Date of test			1/2	5/2022
		Test		
S.No.	Parametrs	Protocol	Unit	Test results
3.140.	Tarametra	IS3025(P-04),	O IIII	T CSC T CSG TCS
	1 Colour	1983	Hazen	BLQ[LOQ-1.0]
		IS3025(P-05),		
	2 Odour	1983	-	Agreeable
		IS3025(P-08),		
	3 Taste	1984	-	Agreeable
		IS3025(P-10),		
	4 Turbidity	1984	NTU	BLQ[LOQ-0.5]
		IS3025(P-16),		
	5 Total Dissolved Solids	1984	mg/L	39
		IS3025(P-11),		
	6 pH@25 ° C	1983	-	6.69
		IS3025(P-23),		
	7 Alkalinity	1986	mg/L	21
		IS3025(P-14),	,	50.0
	8 Electrical conductivity	1984	mg/L	58.2
	2 202 3 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	IS3025(P-44),		PLO[100.25]
	9 BOD,3 days @27°C	1993	mg/L	BLQ[LOQ-2.5]
	7 Tatal Handrass on CoCC2	IS3025(P-21), 1983	mg/L	18.42
1	0 Total Hardness as CaCO3	IS3025(P-40),	IIIg/L	10.42
1	1 Calcium as Ca	1991	mg/L	5.2
1	1 Calcium as Ca	IS3025(P-	ilig/ L	3.2
1	2 Magnesium as Mg	46),1994	mg/L	1.04
	2 Wagnesiam as Wg	IS3025(P-53),		
1	3 Iron as Fe	2003	mg/L	BLQ[LOQ-0.05]
	3 11011 43 1 0	IS3025(P-		
1	4 Copper as Cu	42),1992	mg/L	BLQ[LOQ-0.05]
		IS3025(P-59),		
. 1	5 Manganese as Mn	2006	mg/L	BLQ[LOQ-0.05]
		IS3025(P-24),		
1	6 Sulphate as SO4	1986	mg/L	BLQ[LOQ-5.0]
		IS3025(P-32),		
1	7 Chloride as Cl	1988	mg/L	13.27
		IS3025(P-34),		
1	8 Nitrate as NO3	1988	mg/L	BLQ[LOQ-1.0]
		IS3025(P-		
1	9 Fluoride as F	60),2008	mg/L	BLQ[LOQ-0.02]
		IS3025(P-43),		
2	O Phenolic compounds as C6H5OH	1992	mg/L	BLQ[LOQ-0.001]
		IS3025(P-49),	4.	DI O[1 00 0 04]
2	1 Zinc as Zn	1994	mg/L	BLQ[LOQ-0.01]
		IS3025(P-37),		PLO[100.0.001]
2	2 Arsenic as As	1988	mg/L	BLQ[LOQ-0.001]
		IS3025(P-27),	ma/1	BLQ[LOQ-0.1]
2	23 Cyanide as CN	1986	mg/L	BLQ[LOQ-0.1]
_	Sa destructions on Cd	IS3025(P-41), 1992	mg/L	BLQ[LOQ-0.01]
2	24 Cadmium as Cd	1992	IIIg/ L	DEQ[E0Q-0.01]



I	I	IS3025(P-52),		T	
25	Chromium as Cr	2003	mg/L	BLQ[LOQ-0.05]	
25	Cinomian as ci	IS3025(P-55),	mg/ L	BEQ[EOQ-0.05]	
26	Aluminium as Al	2003	mg/L	BLQ[LOQ-0.01]	
20	Alamman as Al	IS3025(P-56),	1116/ -	DEG[EGG 0.01]	
27	Selenium as Se	2003	mg/L	BLQ[LOQ-0.001]	
		IS3025(P-47),			
28	Lead as Pb	1994	mg/L	BLQ[LOQ-0.05]	
		IS3025(P-48),			
29	Mercury as Hg	1994	mg/L	BLQ[LOQ-0.001]	
		Annex H of			
30	Boron as B	IS13428,2005	mg/L	BLQ[LOQ-0.05]	
		IS3025(P-26),			
31	Residual Free chlorine	1986	mg/L	BLQ[LOQ-0.01]	
		clause 6 of			
		IS3025(part-			
32	Mineal oil	39)	mg/L	BLQ[LOQ-0.01]	
	Biological parameters				
33	Coliform	IS1622, 1981	MPN/100ml	17	
34	Escherichia Coli	IS1622, 1981	MPN/100ml	<2	
34	Escriencina Con	131022, 1301	IVII IV/ 100IIII	1	
	scribed by the customer		Soil		
Date of tes	st		1/25/2022		
		Test			
S.No.	Parameters	Protocol	Unit	Test Results	
		Water			
		resources			
		department			
1	pH@25° C	directorate	-	7.18	
		of irrigation			
		research &			
		development			
		Water			
		resources			
_	Oit	department	%	0.66	
2	Organic matter	directorate	/0	0.00	
		of irrigation research &			
	~	development			
		Water			
		resources			
		department			
3	Bulk Density	directorate	gm/cm3	1.3437	
3	Daik Delisity	of irrigation	g,		
		research &			
	1	development			
		Water			
		resources			
		department			
4		directorate			
1	1				
		of irrigation			
		1			
	Loss on Ignition	of irrigation	%	5.26	



				BLQ[LOQ-1.0]
13	1110001 00 111	USEPA 3050	<i>J. J</i>	
13	Nickel as Ni	В	mg/Kg	BLQ[LOQ-1.0]
		USEPA 3050		
12	Lead as Pb	В	mg/Kg	BLQ[LOQ-1.0]
		USEPA 3050		
		development		
		research &		
**		of irrigation		
11	Sodium absorption Ratio	directorate	meq/Kg	2.23
		department		
		resources		
		Water		
		development		
		research &		
10		of irrigation	<u></u>	
	Sodium as Na	directorate	Kg/ha	208.53
		department		
		resources		55
		Water		
	8	development		
	,	research &		
9	i nospilorous as r	of irrigation	1.0/114	30.01
9	Phosphorous as P	directorate	Kg/ha	66.61
		department		
		resources		
		Water		
	e a	development		
		research &		
0	INICIOSEII OS IV	of irrigation	1.6/114	173.71
8	Nitrogen as N	directorate	Kg/ha	449.41
		department		
		resources		
	agriculati du 1416	Water		
7	Magnesium as Mg	development		
	9	research &		
	Ø 7	of irrigation		
		directorate	meq/100g	1.97
DO:		department		
		resources		
U	Calcium us Ca	Water		
6	Calcium as Ca	development		
		research &		
		of irrigation	med/ 100g	4.55
		directorate	meq/100g	4.59
		department		
		resources		
	Chioride do Ci	Water		-
20	Chloride as Cl	development		
		research &		
3		of irrigation	IIIS/NS	012.03
5		department	mg/Kg	812.85
		resources		



	USEPA 3050		0.00				
	В	%		0.88			
	USEPA 3050		3				
	В	mg/Kg		394.62			
u	USEPA 3050 B	mg/Kg		27.46			
17 Copper as Cu B Sample described by the customer			AIR(AAQM)				
Date of test				1/20/2022			
	TEST RESULTS	4	,,				
s	Unit	Test results	NAAQ norms	Test Protocol			
3	Offic	restresuits	11011115				
xide as SO2	μg/m3	8.6	80	IS5182(Part 2), 2018			
oxide as NO2	μg/m3	20	80	IS5182(Part 6), 2006			
Matter as PM10	μg/m3	58	100	IS5182(Part 23), 2006			
Matter as PM2.5		33	60	BS EN14907, 2005			
vialler as Piviz.5	μg/m3		00	IS5182(Part			
3	μg/m3	10.0*	180	9), 1974			
	μg/m3	0.05*	1	BS EN14902, 2005			
noxide as CO	μg/m3	0.302	2	IS5182(Part 10), 1999			
as NH3	μg/m3	20.0*	400	IS5182(Part 25), 2018			
C6H6	μg/m3	0.1*	5	IS5182(Part 11), 2006			
/rene	ng/m3	0.1*	1	IS5182(Part 12), 2004			
ıs	ng/m3	2.0*	6	BS EN14902, 2005			
,	ng/m3	2.0*	20	BS EN14902, 2005			
Sample described by the customer Date of test			Noise(Ambient)				
			1/20/2022				
		T					
Location of Monitoring		Noise level dB(A) day time @10.50AM					
			52.9				



<u> Public notice - environmental clearance</u>

State Level Environment Impact Assessment Authority, Karnataka has accorded Environmental Clearance to Construction of Proposed "Residential cum Neighborhood Shops" project at Town Survey. No. 742/15BP, 742/14BP, 742/16P1, 742/16P2, 741/2, 741/3 & 741/4B1P of Kadri A Village and Revenue Survey No: 126/6P1, 126/6P2, 126/6P3, 126/5P1, 126/5P2, 126/5P3, 126/5P4, 126/5P5 at Kadri B Village, Mangaluru Taluka, Dakshina Kannada District by K. Shrinath Hebbar & Othersvide' letter no. SEIAA 146CON 2020 dated 26/03/2021 under the provision of EIA Notification, 14th September,

Copy of Clearance Letter is available with the Karnataka Pollution Control Board and may also be seen at website of MoEF&CC at http://environmentclearance.nic.in

Date: 04/04/2021

(Authorized Signatory)



ಜಿಲ್ಲಾ ಪಂಚಾಯತ್, ರಾಮನಗರ ಹಿಂದುಳಿದ ವರ್ಗಗಳ ಕಲ್ತಾಣ ಇಲಾಖೆ

2ನೇ ಮಹಡಿ. ಜಿಲ್ಲಾಪಂಚಾಯತ್ ಭವನ, ಬಿ.ಎಂ.ರಸ್ತೆ, ರಾಮನಗರ,

ಾಣಿ ಸಂ: 080–27276047, Fax: 080-27276047, Email: dobcmramanagara@gmail.com ಸಂ.: ಹಿಂವಕಇ/ಆಹಾರ/ಸಿಆರ್-03/2021-22

ಇ-ಟೆಂಡರ್ ಪ್ರಕಟಣೆ

2021-22ನೇ ಸಾಲಿನಲ್ಲಿ ರಾಮನಗರ ಜಿಲ್ಲೆಯ ಹಿಂದುಳಿದ ವರ್ಗಗಳ ಕಲ್ಯಾಣ ಇಲಾಖಾ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಕಾರ್ಯನಿರ್ವಹಿಸುತ್ತಿರುವ ಮೆಟ್ರಿಕ್–ಪೂರ್ವ ಮತ್ತು ಮೆಟ್ರಿಕ್ ಮೆಟ್ರಿಕ್–ನಂತರ ಆಶ್ರಮಶಾಲೆಗಳಿಗೆ ತಾಲ್ಲೂಕು ಹಂತದಲ್ಲಿ ಆಹಾರ ಸಾಮಗ್ರಿಗಳನ್ನು ಹಾಗೂ ಇತರೆ ಪದಾರ್ಥಗಳನ್ನು ಖರೀದಿಸಲು ಟೆಂಡರ್ ಪ್ರಕಟಣೆಯನ್ನು ಹೊರಡಿಸಿ ದಿನಾಂಕ: 28.04.2021 ರಂದು ಟೆಂಡರ್ ಸಲ್ಲಿಸಲು ಅಂತಿಮ ದಿನಾಂಕವಾಗಿರುತ್ತದೆ. https://.eproc.karnataka.gov.inನ್ನು ಸಂಪರ್ಕಿಸಬಹುದಾಗಿದೆ.

ಸಹಿ/- ಜಿಲ್ಲಾ ಅಧಿಕಾರಿಗಳ ಪರವಾಗಿ ಹಿಂದುಳಿದ ವರ್ಗಗಳ ಕಲ್ಯಾಣ ಇಲಾಖೆ, ರಾಮನಗರ ಜಿಲ್ಲೆ, ರಾಮನಗರ

ವಾಸಾಸಂಇ/ರಾಮನಗರ/ಶಿರಡಿ ಸಾಯಿ/02/2021-22

VISVESVARAYA JALA NIGAMA LIMITED

(Government of Karnataka Enterprise) Office of the Executive Engineer

VJNL, Yettinahole Project Division, No.3 Arasikere Ph: 08174233111 e-mail: eeypd3ask@gmail.com EE/YP/VJNL/DIV-03/YGC/TN/2020-21/1454 Dated:30.03.2021


TENDER CANCELLATION NOTIFICATION

Ref:Cor-01:EE/YP/VJNL/DIV-03/YGC/TN/2020-21/1267 Dated: 09.03.2021 SHORT TERM TENDER NOTIFICATION No: 02/ 2020-21Dtd: 04.03.2021 Tender Notification No: EE/YP/VJNL/ DIV-03/YGC/TN/2020-21/1250 Dated:04.03.2021 Tenders in e-procurement portal on "PERCENTAGE BASIS" invited for the work of"Improvement works to the roads in the purview of Yettinahole integrated drinking water project in Sakaleshpura, Alur, Belur and Arasikere constituency of Hassan Dist"is cancelled due to technical reasons. Executive Engineer, VJNL, YP Division, No.3, Arasikere. Ph: 08174-233111, e-mail: eeypd3ask@gmail.com Sd/- Executive Engineer,

VJNL, Y P Division, No.3 Arasikere STAY PROTECTED FROM COVID-19, NO CARELESSNESS UNTIL THERE IS A CURE.











GOVERNMENT OF KARNATAKA **Department of Agriculture**

Commssionerate of Agriculture, Seshadri Road, Bangalo No.: SFS-5/Seed ReTender/Kh-2021/2020-21

SHORT TERM E-PROCUREMENT TENDER NOTIFICAT

Short term e-Procurement tenders are invited from the rep Seed Producing agencies or their authorized agencies for su of Certified/TL seeds during Kharif 2021 in respect of Jo Greengram and Soybean. This tender is called for sourcing required quantities of seeds on consignment basis.

The interested supplier can download the tender Docur through e-Procurement website free of cost. The Tenc intending to participate in this tender have to register with Ce for e-Governance, 1st Floor, M.S. Building, Bangalore-01 obtain the DSC key or e-token.

The tender documents are available from 05.04.2021 e-Procurement website https://eproc.karnataka.gov.in The date for submission of tender through online is 15.04.2021 u 5:00 P.M.


Technical bid will be opened through online at 11:00 A.M. 19.04.2021 at Sambhrama Hall, Department of Agricult Sheshadri Road, Bangalore.

DIPR/DDU/023/AAPL/2021-22

Director of Agricult

STAY PROTECTED FROM COVID-19, NO CARELESSNESS UNTIL THERE IS A C







City Municipal Council Office, Challaker Chitradurga District.

No.: C. CMC/Technical/CMC.F. 2020-21/ನೀ.ಸ.ಕಾ.ವಾ.ನಿ./ Tender-02/CR-01/2021-22 Date: 01.04.2021

Tender Notice

Itemwar Tenders are invited through e-procurement po-(http://eproc.karnataka.gov.in) as per Transparency in Public Procurement Act 1999 and Rules - 20 and as per Standard Tender Document KC-8 of Finan Department from eligible Contractors/Authorised N.G.C Agency registered in PWD for implementation of wor sanctioned under City Municipal Council Fund for the year 2021-22, in the limits of Challakere City Municipal Council (INDENT No.: DMA/CMCCLK/WSOC/MF/2020-21) and tender can be downloaded and uploaded in e-procurement port (http://eproc.karnataka.gov.in) up to 4.30 PM on 03.05.202 Further information can be viewed in the following website www.challakerecity.mrc.gov.in and eproc.karnataka.gov.in and will be displayed in Office Noti Board. Further information can be obtained in the Technic Branch during office hours.


Sd/-President Challakere Sd/-Chairman, Standing Committee, City Municipal

Council, Challakere

Sd/-Vice President City Municipal Council, City Municipal Council, Challake Sd/-Municipal Commissione City Municipal Council, Challakere DIPR/CTA/MCA/05/2021-22

OF TIMES S








ಬೋಜ ಆಕೆಯನು ತಂಗಿದ್ದ ಮನೆಯ ಹೆಂಚು ತೆಗೆದು ಪ್ರಕರಣ ದಾಖಲಾಗಿದೆ. ಪೆಟ್ರೋಲ್ ಸುರಿದು ಬೆಂಕಿ ಹಚ್ಚಿದ್ದಾನೆ.

ಬೆಂಕಿಗೆ ಸಿಲುಕಿ ಪತ್ನಿ ಬೇಬಿ (40), ಅತ್ತೆ ಸೀತೆ (55), ತೋಲ ಎಂಬುವವರ ಮಗಳು ಪ್ರಾರ್ಥನಾ (6) ಸ್ಥಳದಲ್ಲಿಯೇ ಮೃತಪಟ್ಟಿದ್ದಾರೆ. ಗಂಭೀರ ಗಾಯಗೊಂಡಿದ್ದ ಮಂಜು ಎಂಬುವವರ ಮಕ್ಕಳಾದ ಪ್ರಕಾಶ್ (6), ವಿಶ್ವಾಸ (3)

ರಲು ಮಾರ್ (50) ತಲಮರಸಿ ಕರೆದರೂ ಒಪ್ಪದ ಪತ್ನಿ ವಿರುದ್ಧ ಸಿಟ್ಟಾಗಿದ್ದ ಕೊಂಡಿದ್ದು ಪತ್ತೆಗಾಗಿ `ಮೊಲೀಸರ 5 ಕೊಲೆ ತಂಡವನ್ನು ರಚಿಸಲಾಗಿದೆ. ಸ್ಥಳಕ್ಕೆ ಎಸ್ಪ ಮಾಡುವುದಾಗಿ ಬೆದರಿಕೆ ಹಾಕಿದ್ದ ಕ್ಷಮಾ ಮಿಶ್ರಾ, ದಕ್ಷಿಣ ವಲಯ ಐಜಿಪಿ ಇದಕ್ಕೂ ಬೇಬಿ ಜಗ್ಗದಿದ್ದಾಗ ಶನಿವಾರ ಮಧುಕುಮಾರ್ ಭೇಟಿ ನೀಡಿ ಪರಿಶೀಲನೆ ಬೆಳಗಿನ ಜಾವ 2ರ ಸುಮಾರಿಗೆ ಆಕೆ ನಡೆಸಿದರು. ಪೊನ್ನಂಪೇಟೆ ಠಾಣೆಯಲ್ಲಿ



ಕೃತ್ಯ ನಡೆದಿರುವ ಲೈನ್ಮನೆ.

ಮುಖ್ಯವಾಹಿನಿಗೆ ತರುವ ಕೆಲಸವಾಗಲಿ

ಕಾಫಿ ತೋಟ ಕೆಲಸಕ್ಕೆಂದು ಬಂದು ಲೈನ್ ಮನೆಗಳಲ್ಲಿ ವಾಸಿಸುವ ಬಹುತೇಕ ಕಾರ್ಮಿಕ ಕುಟುಂಬಗಳು ಆದಿವಾಸಿ ಸಮುದಾಯಕ್ಕೆ ಸೇರಿದ್ದು, ಇನ್ನೂ ಸಮಾಜದ ಮುಖ್ಯವಾಹಿನಿಯಿಂದ ದೂರವೇ ಉಳಿದಿದ್ದಾರೆ. ದುಡಿಯುವುದೇ ಕುಡಿಯುವುದಕ್ಕೆ ಎಂದು ನಂಬಿರುವಂತೆ ಸಂಪಾದಿಸಿದ ಹಣವನ್ನೆಲ್ಲಾ ಬಹುಪಾಲು ಮಂದಿ ಮದ್ಯಪಾನಕ್ಕೆ ಸುರಿಯುತ್ತಾರೆ. ಭವಿಷ್ಯದ ಬದುಕಿನ ಬಗ್ಗೆ ಯಾವುದೇ ಯೋಚನೆಗಳು ಇರುವುದಿಲ್ಲ. ಒಂದು ಕಾಫಿ ತೋಟದಿಂದ ಮತ್ತೊಂದು ಕಾಫಿ ತೋಟಕ್ಕೆ ವಾಸ ಬದಲಿಸುತ್ತಲೇ ಇರುವ ಇಂತಹ ಕುಟುಂಬಗಳ ಮಕ್ಕಳ ಪಾಲಿಗೆ ಶಿಕ್ಷಣವಂತೂ ದೂರವೇ ಉಳಿದಿದೆ. ಹಾಗಾಗಿ ಇವರನ್ನು ಸಮಾಜದ ಮುಖ್ಯವಾಹಿನಿಗೆ ತರುವ ಕೆಲಸ ತರಿತಗತಿಯಲ್ಲಿ ನಡೆದರೆ ಮಾತ್ರ ಬದಲಾವಣೆ ನಿರೀಕ್ಷಿಸಬಹುದು ಎನ್ನುತ್ತಾರೆ ಪ್ರಜ್ಞಾವಂತರು.

ಕರ್ನಾಟಕ 🗯 ಸರಕಾರ

ಉಪ ಅರಣ್ಯ ಸಂರಕ್ಷಣಾಧಿಕಾರಿ, ಮಂಗಳೂರು ವಿಭಾಗ ಲೋಕೋಪಯೋಗಿ ಕಟ್ಟಡ, ನೆಹರೂ ಮೈದಾನದ ಬಳಿ, ಮಂಗಳೂರು - 575001.

ಸಂಖ್ಯೆ:ಆಯವ್ರಯ/ವಿವ-4(3)ಮು.ಕಾಮಗಾರಿ /ಇ-ಟೆಂಡರ್/2020-21(2021-22)

ಇ-ಟೆಂಡರ್ ಪ್ರಕಟಣೆ

2021-22ನೇ ಸಾಲಿನಲ್ಲಿ ಮಂಗಳೂರು ವಿಭಾಗದ ವ್ಯಾಪ್ತಿಗೊಳಪಡುವ ವಲಯಗಳಲ್ಲಿ ನೆಡುತೋಪು ಪೋಷಣಾ ಕಾಮಗಾರಿ, ನೆಡುತೋಪು ಬೆಳೆಸುವ ಕಾಮಗಾರಿಗಳನ್ನು ನಿರ್ವಹಿಸಲು ಅರ್ಹ ನೊಂದಾಯಿತ ಆರಣ್ಯ ಗುತ್ತಿಗೆದಾರರಿಂದ ಇ-ಪ್ರೊಕ್ಕೂ ರ್ವವೆಂಟ್ ಮುಖಾಂತರ ಇ- ಟೆಂಡರ್ನ್ನು ದಿನಾಂಕ: 27.04.2021 ಮತ್ತು ಮರು ಇ-ಟೆಂಡರ್ ದಿನಾಂಕ: 05.05.2021 ರಂದು ಅಹ್ವಾನಿಸಲಾಗಿದೆ. ಟೆಂಡರ್ ನಮೂನೆಗಳನ್ನು ಇ-ಪ್ರೊಕ್ಕೂರ್ ಮೆಂಟ್ ಪೋರ್ಟಲ್ www.eprockarnataka.gov.in ನಲ್ಲಿ ಪಡೆದು ಇ-ಟೆಂಡರ್ ಸಲ್ಲಿಸಲು ಕೊನೆಯ ರಿನಾರ್ಕೆ 27.04.2021 ರಂದು ಅಪರಾಹ್ನ 5.00 ಗಂಟೆಗೆ, ತಾಂತ್ರಿಕ ಬಿಡ್ ನ್ನು ಮತ್ತು ಆರ್ಥಿಕ ಬಿಡ್ನನ್ನು ತೆರೆಯುವ ಸಮಯ ದಿನಾರ್ಕ 28.04.2021 ರಂದು ಅಪರಾಹ್ನ 5.00 ಗಂಟೆಗೆ ಒಂದು ವೇಳೆ ಮೇಲೆ ಹೇಳಿದ ದಿನಾರ್ಕದಂದು ಯಾವುದೇ ಗುತ್ತಿಗೆದಾರರು ಟೆಂಡರ್ ಹಾಕದಿದ್ದಲ್ಲಿ ಇದೇ ಇ-ಟೆಂಡರ್ ಪ್ರಕ್ರಿಯೆಯನ್ನು ಮುಂದುವರಿಸಿ ಮರು ಇ-ಟೆಂಡರನ್ನು ಆಹ್ವಾನಿಸಲಾಗಿದ್ದು, ಮರು ಟೆಂಡರನ್ನು ಇ-ಪೋರ್ಟರ್ಇನಲ್ಲಿ ಸಲ್ಲಿಸಲು ಕೊನೆಯ ದಿನಾರ್ಕ 05.05.2021 ರಂದು ಅಪರಾಹ್ನ 5.00 ಗಂಟೆಗೆ, ಸಾರ್ಟಿಸಲಾಗಿದ್ದು, ಮರು ಟೆಂಡರನ್ನು ಇ-ಪೋರ್ಟರ್ಇನಲ್ಲಿ ಸಲ್ಲಿಸಲು ಕೊನೆಯ ದಿನಾರ್ಕ 05.05.2021 ರಂದು ಅಪರಾಹ್ನ 5.00 ಗಂಟೆಗೆ, ತಾಂತ್ರಿಕ ಬಿಡ್ನನ್ನು ಮತ್ತು ಆರ್ಥಿಕ ಬಿಡ್ನನ್ನು ತೆರೆಯುವ ಸಮಯ ದಿನಾಂಕ: 06.05.2021 ರಂದು ಅಪರಾಹ್ನ 5.00 ಗಂಟೆಗೆ ಹೆಚ್ಚಿನ ವಿವರಗಳನ್ನು ವಿಭಾಗೀಯ ಕಛೇರಿಯಿಂದ ಪಡೆದುಕೊಳ್ಳಬಹುದು.

DIPR/MNG/1/MPL/21-22

ಸಹಿ/- ಉಪ ಅರಣ್ಯ ಸಂರಕ್ಷಣಾಧಿಕಾರಿ, ಮಂಗಳೂರು ವಿಭಾಗ, ಮಂಗಳೂರು



ರಾಜ್ಯ ಶಿಕ್ಷಣ ಸಂಶೋಧನೆ ಮತ್ತು ತರಬೇತಿ ಇಲಾಖೆ

4, 100 ಅಡಿ ರಿಂಗ್ ರಸ್ತೆ, ಬನಶಂಕರಿ 3ನೇ ಹಂತ, ಬೆಂಗಳೂರು-85. DSERT ದೂ: 080-26980100, ಫ್ಯಾಕ್ಸ್: 080-26422377

ಸಂಖ್ಯೆ: DSERT/ಇವಿಜಿ/ಸಂಭ್ರಮ ಶನಿವಾರ/35/2019-20 ದಿನಾಂಕ: 01.04.2021

ಟೆಂಡರ್ ಪ್ರಕಟಣೆ (ಜಿಒಕೆ ಇ-ಪ್ರೊಕ್ಕೂರ್ಮೆಂಟ್ ಪೋರ್ಟಲ್ ಮೂಲಕ ಮಾತ್ರ)

ನಿರ್ದೇಶಕರು, ರಾಜ್ಯ ಶಿಕ್ಷಣ ಸಂಶೋಧನೆ ಮತ್ತು ತರಬೇತಿ ಇಲಾಖೆ, ಬೆಂಗಳೂರು, ಇವರಿಂದ E-BID NOTIFICATION FOR print and supply of Student and Teacher Modules for Sambrama Shanivara (No Bag Day) across Karnataka State ಸಂಬಂಧ ಅರ್ಹ ಬಿಡ್ ದಾರರಿಂದ ಇ-ಟೆಂಡರ್ ಕರೆಯಲಾಗಿದೆ. ಟೆಂಡರ್ ಸಲ್ಲಿಸಲು ಕೊನೆಯ ದಿನಾಂಕ: 05.05.2021ರಂದು ಸಂಜೆ 5:30 ಗಂಟೆಯವರೆಗೆ. ಹೆಚ್ಚಿನ ಮಾಹಿತಿಗಾಗಿ ಇ–ಮ್ರೊಕ್ಯೂರ್ಮೆಂಟ್ ವೆಬ್ಸ್ಟೆಟ್ https://eproc.karnataka gov.in ನೋಡಬಹುದು.

DIPR/DDU/029/AAPL/2021-22

ಸಹಿ/-ನಿರ್ದೇಶಕರು









ಎಂ.೦ ಎಲ್ಲಾ ಎಂಜು ಎಚ್ಚಲ್ತಕೊಂಡು ಸಾವರಿಸಿಕೊಳ್ಳುವಷ್ಟರಲ್ಲಿ ಕಾಲ ಮಿಂಚಿ ಹೋಗಿತ್ತು. ಮೂವರು ಮಕ್ಕಳನ್ನು ಇವರಿಬ್ಬರು ಪ್ರಯಾಸಪಟ್ಟು ಮನೆಯಿಂದ ಹೊರತಂದರಾದರೂ ಈ ಮೂವರು ಮಕ್ಕಳ ಸ್ಥಿತಿ ಗಂಭೀರವಾಗಿತ್ತು.ಕೂಡಲೇ ಸ್ಥಳೀಯರ ಸಹಾಯದಿಂದ ಮೈಸೂರು ಆಸ್ಪತ್ರೆಗೆ ಸಾಗಿಸಲಾಯಿತಾದರೂ ಮೂವರು ಮಕ್ಕಳು ಬದುಕಲಿಲ್ಲ. ಗಂಡ ಬೋಜ ಕಿರುಕುಳ ್ಲ್ರಾ ಕೊಡುತ್ತಾನೆ ಎಂದು ಬೇಬಿ ಸಹೋದರರ ಬಳಿಗೆ ಬಂದಿದ್ದಳು. ಬೋಜನ ಪೈಶಾಚಿಕ ಕೃತ್ಯಕ್ಕೆ ಬೇಬಿಯ ಸಹೋದರರು ಮಕ್ಕಳನ್ನು ಕಳೆದುಕೊಳ್ಳುವಂತಾಗಿದೆ. ತೋಲ, ಮಂಜು ಹಾಗೂ ಇವರ ಪತ್ನಿಯರು ಈಗ ಕಂದಮ್ಮರನ್ನು ನೆನೆದು ಕಣ್ಣೀರಿಡುತ್ತಿದ್ದಾರೆ. ಸಮಾಧಾನ ಹೇಳಬೇಕಿದ್ದ ಮನೆಯ ಹಿರಿಜೀವ ಸೀತೆಯೂ ಕರಕಲಾಗಿ ಹೋಗಿದ್ದಾಳೆ.

> ಕರ್ನಾಟಕ ಸರ್ಕಾರ ಕರ್ನಾಟಕ ಅರಣ್ಯ ಇಲಾಖೆ

ಉಪ ಅರಣ್ಯ ಸಂರಕ್ಷಣಾಧಿಕಾರಿಯವರ ಕಛೇರಿ, ಕುಂದಾಪುರ ವಿಭಾಗ, ಕುಂದಾಪುರ ಇ–ಮೇಲ್: kpurforest@yahoo.com, dcfknd@aranya.gov.in ರಿಯುಡಿ/ಇ-ಟೆಂಡರ್/ವಿವ-74/2020-21

ಸಂಕ್ಷೀಪ್ತ ಇ-ಟೆಂಡರ್ ಅಧಿಸೂಚನೆ

ಈ ಮೂಲಕ ಸಾರ್ವಜನಿಕರಿಗೆ/ಈ ವಿಭಾಗದ ನೋಂದಾಯಿತ ಅರಣ್ಯ ಗುತ್ತಿಗೆದಾರರಿಗೆ ತಿಳಿಯಪಡಿಸುವುದೇನೆಂದರೆ, 2021–22ನೇ ಸಾಲಿನಲ್ಲಿ ಕುಂದಾಪುರ ವಿಭಾಗದ ಅರಣ್ಯ ಪ್ರದೇಶಗಳಲ್ಲಿ ಈ ಕೆಳಗಿನ ಅರಣ್ಯ ಕಾಮಗಾರಿಗಳನ್ನು ನಿರ್ವಹಿಸಲು ಅನುಭವ ಹೊಂದಿರುವವರು ಅಥವಾ ಅಂಗೀಕೃತ ಸಂಸ್ಥೆಗಳಿಂದ ಮಾತ್ರ ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಇ–ಪ್ರೊಕ್ಕೂರ್ ಮೆಂಟ್ ಫೋರ್ಟಲ್ https://eproc.karnataka.gov.in ಮೂಲಕ ಇ-ಟಿಂಡರನ್ನು ದಿನಾಂಕ: 30.04.2021 ರಂದು ಸಂಜೆ 4.00 ವರೆಗೆ ಆಹ್ರಾನಿಸಲಾಗಿದೆ.

ಒಂದು ವೇಳೆ ಮೇಲೆ ಹೇಳಿದ ದಿನಾಂಕದಂದು ಯಾವ ಗುತ್ತಿಗೆದಾರರೂ ಟೆಂಡರು ಹಾಕದಿದ್ದಲ್ಲಿ, ಇದೇ ಟೆಂಡರು ಪ್ರಕ್ರಿಯೆಯನ್ನು ಮುಂದುವರಿಸಿ, ಮರು ಟೆಂಡರನ್ನು ದಿನಾಂಕ: 25.05.2021 ರಂದು ಸಂಜೆ 3.00 ಗಂಟೆವೆರೆಗೆ ಇ–ಪೊಕ್ಕೂರ್-ಮೆಂಟ್ ಫೋರ್ಟರ್ <u>https://</u> eproc.karnataka.gov.in ಮೂಲಕ ಕರೆಯಲಾಗಿದೆ ಎಂದು ಭಾವಿಸತಕ್ಕದ್ದು,

ಸಂಪರ್ಕಿಸಬೇಕಾದ ದೂರವಾಣಿ ಸಂಖ್ಯೆ: ಉಪ ಅರಣ್ಯ ಸಂರಕ್ಷಣಾಧಿಕಾರಿ, ಕುಂದಾಪುರ ವಿಭಾಗ, ಕುಂದಾಪುರ. ದೂರವಾಣಿ ಸಂ. 08254–230349, ಫ್ಯಾಕ್ಸ್: 232720

ವಾಸಾಹ/ಸನಿಉ/ಎಂಸಿಎ/09/21-22 ದಿ: 03.04.21

ಸಹಿ/-ಉಪ ಅರಣ್ಯ ಸಂರಕ್ಷಣಾಧಿಕಾರಿ, ಕುಂದಾಪುರ ವಿಭಾಗ, ಕುಂದಾಪುರ

PUBLIC NOTICE - ENVIRONMENTAL CLEARANCE

State Level Environment Impact Assessment Authority, Karnataka has accorded Environmental Clearance to Construction of Proposed "Residential cum Neighborhood Shops" project at Town Survey. No. 742/15BP, 742/14BP, 742/16P1, 742/16P2, 741/2, 741/3 & 741/4B1P of Kadri A Village and Revenue Survey No: 126/6P1, 126/6P2, 126/6P3, 126/5P1, 126/5P2, 126/5P3, 126/5P4, 126/5P5 at Kadri B Village, Mangaluru Taluka, Dakshina Kannada District by K. Shrinath Hebbar & Othersvide' letter no. SEIAA 146CON 2020 dated 26/03/2021 under the provision of EIA Notification, 14th September, 2006

Copy of Clearance Letter is available with the Karnataka Pollution Control Board and may also be seen at website of MoEF&CC at http://environmentclearance.nic.in

Date: 04/04/2021

(Authorized Signatory)

Karnataka Power Corporation Limited

(a Govt. of Karnataka Enterprise) CIN - U85110KA1970SGC001919

ABSTRACT BID NOTIFICATION

(Through e- procurement platform)

e-TenderNo.KPCL/2020-21/OW/WORK INDENT10882/CALL-2 Date: 03-04-2021 Bids in two parts are invited through e-procurement portal for "Supply, installation and commissioning of One no. of Burglar Alarm system to Godown at Hosangadi store".

The details of NIT and Tender Document can be seen on website: https://www.eproc.karnataka.gov.in. The bids will be received through e-procurement portal mode only.

Last date for receipt of completed bids is 19-04-2021up to 15:00 Hrs with an EMD Declaration.

Date of opening of Part-I (pre-qualification & technical Bid) is 20-04-2021 at 15:15 Hrs and date of opening of Part-II (price bid) of the qualified bidders is 21-04-2021at 16:00 Hrs or on later date. For further details contact Executive Engineer (MSP)H, Varahi Hydro Electric Project, Karnataka Power Corporation Limited, Hosangadi -576282, Kundapur(T), Udupi(D), Karnataka. Phone/ Mobile: +91-8259-288643/ +91-9449598832, KPCL website: www.karnatakapower.com https://www.eproc.karnataka.gov.in/Helpdesk: 080-2501216/25501227

